

CONTENTS

<u>Chapter</u>		<u>Page</u>
I	INTRODUCTION	1- 1
	1.1 OBJECTIVE	1- 1
	1.2 SCOPE	1- 1
	1.3 BACKGROUND	1- 2
	1.4 ORIGIN AND DEVELOPMENT OF THE SUPPRESSIVE SHIELD CONCEPT	1- 3
	1.5 USE OF THE HANDBOOK	1- 6
	1.6 REFERENCES	1-11
II	SAFETY APPROVED SUPPRESSIVE SHIELDS	2- 1
	2.1 INTRODUCTION	2- 1
	2.2 SELECTION OF A SUPPRESSIVE SHIELD DESIGN	2- 4
	2.2.1 Identify Hazardous Operations	2- 4
	2.2.2 Determine Space Requirements	2- 4
	2.2.3 Determine Charge Parameters	2- 4
	2.2.4 Determine Fragment Parameters	2- 6
	2.2.5 Determine Specific Requirements of the Installation	2- 6
	2.3 APPROVAL OF NEW SUPPRESSIVE SHIELD DESIGNS	2- 7
	2.4 SUPPRESSIVE SHIELD GROUP DESIGNS	2- 8
	2.4.1 Shield Groups 1, 2 and 3	2- 8
	2.4.2 Shield Groups 4 and 5	2- 9
	2.4.3 Shield Group 6	2-10
	2.4.4 Shield Group 81-mm	2-10
	2.5 REFERENCES	2-12
III	EXPLOSIVE ENVIRONMENTS	3- 1
	3.1 INTRODUCTION	3- 1
	3.2 BLAST WAVES IN AIR	3- 1
	3.2.1 General	3- 1
	3.2.2 TNT Equivalence	3- 3
	3.2.3 Scaling	3- 4
	3.2.4 Prediction of Free-Field Airblast Parameters	3- 7

CONTENTS (continued)

<u>Chapter</u>		<u>Page</u>
3.3	INTERNAL AIRBLAST	3-12
	3.3.1 General	3-12
	3.3.2 Prediction of Internal Blast Loads	3-14
3.4	VENTING	3-17
	3.4.1 Introduction	3-17
	3.4.2 Vent Area Ratio	3-17
3.5	QUASI-STATIC PRESSURES	3-18
	3.5.1 General	3-18
	3.5.2 Prediction of Quasi-Static Pressure Parameters	3-18
3.6	AIRBLAST OUTSIDE SUPPRESSIVE SHIELDS	3-22
	3.6.1 General	3-22
	3.6.2 Prediction Methods	3-25
3.7	FRAGMENTATION	3-28
	3.7.1 Introduction	3-28
	3.7.2 Prediction of Primary Fragmentation	3-30
	3.7.3 Prediction of Secondary Fragmentation	3-32
3.8	IMPACT AND PENETRATION	3-35
	3.8.1 Introduction	3-35
	3.8.2 Prediction of Penetration of Steel Plate	3-37
	3.8.3 Prediction of Penetration of Concrete Panels	3-44
3.9	FIREBALL AND THERMAL ENVIRONMENT	3-50
3.10	ILLUSTRATIVE EXAMPLES	3-52
	3.10.1 Shield Group 4 Airblast Loading Parameters	3-52
	3.10.2 Shield Group 4 Effective Vent Area Ratio	3-53
	3.10.3 Shield Group 4 Design Blowdown Time and External Pressure	3-56
	3.10.4 Primary Fragment Mass and Velocity	3-58
	3.10.5 Secondary Fragment Velocity	3-59

CONTENTS (continued)

<u>Chapter</u>		<u>Page</u>
	3.10.6 Fragment Impact on Shield Group 3 Wall Panel	3-60
	3.10.7 Fragment Impact on Shield Group 4 Panel	3-63
	3.11 LIST OF SYMBOLS	3-68
	3.12 REFERENCES	3-71
IV	SUPPRESSIVE SHIELD STRUCTURAL BEHAVIOR	4- 1
	4.1 INTRODUCTION	4- 1
	4.2 PROPERTIES OF STRUCTURAL MATERIALS	4- 1
	4.2.1 Steel	4- 1
	4.2.2 Concrete	4- 5
	4.3 STRUCTURAL DUCTILITY	4- 9
	4.3.1 General	4- 9
	4.3.2 Structural Steel	4-11
	4.3.3 Reinforced Concrete	4-11
	4.3.4 Summary	4-12
	4.4 LIST OF SYMBOLS	4-16
	4.5 REFERENCES	4-17
V	STRUCTURAL DESIGN AND ANALYSIS	5- 1
	5.1 INTRODUCTION	5- 1
	5.2 STRUCTURAL RESISTANCE	5- 3
	5.3 PROPERTIES OF STRUCTURAL ELEMENTS	5- 6
	5.3.1 General	5- 6
	5.3.2 Structural Steel Elements	5- 6
	5.3.3 Reinforced Concrete Elements	5-12
	5.3.4 Cylinders	5-19
	5.3.5 Spheres	5-24
	5.3.6 Natural Frequencies of Common Systems	5-24
	5.4 EQUIVALENT SINGLE DEGREE OF FREEDOM SYSTEMS	5-29
	5.4.1 General	5-29
	5.4.2 Transformation Factors for Beams and Slabs	5-31
	5.4.3 Dynamic Reactions	5-48

CONTENTS (continued)

<u>Chapter</u>		<u>Page</u>
5.5	DYNAMIC RESPONSE OF STRUCTURAL SYSTEMS	5- 50
	5.5.1 Introduction	5- 50
	5.5.2 Energy Methods	5- 52
	5.5.3 Numerical Integration	5- 61
	5.5.4 Spherical Chambers	5- 64
5.6	ILLUSTRATIVE EXAMPLES	5- 65
	5.6.1 Response of the Group 3 Suppressive Shield Wall	5- 65
	5.6.2 Numerical Integration Technique for Determining Response of a Steel Beam Subjected to Blast Loading	5- 71
	5.6.3 Design of Roof Slab for Group 3 Type Suppressive Shield (Type I Construction Ref. 5-5)	5- 77
	5.6.4 Analysis of Shield Group 6A Design	5- 85
	5.6.5 Response of Removable Column in 81-mm Suppressive Shield	5- 89
	5.6.6 Analysis of Base Plate Ring and Reinforcing Steel in Foundation Slab for Group 3 Suppressive Shield	5- 98
	5.6.7 Design of Upper Connection for Removable Column in 81-mm Suppressive Shield	5-102
	5.6.8 Structural Response of Group 3 Suppressive Shield Ring Beam	5-107
5.7	LIST OF SYMBOLS	5-111
5.8	REFERENCES	5-116
VI	STRUCTURAL DETAILS	6- 1
	6.1 INTRODUCTION	6- 1
	6.2 UTILITY PENETRATIONS	6- 1
	6.2.1 General	6- 1
	6.2.2 Design Concept and Rationale	6- 2
	6.2.3 Method of Structural Analysis	6- 4
	6.2.4 Location of Utility Penetrations	6- 8

CONTENTS (continued)

<u>Chapter</u>		<u>Page</u>
6.3	VACUUM LINE PENETRATION	6- 8
	6.3.1 Design Requirements	6- 8
	6.3.2 Design Concept and Rationale	6-13
	6.3.3 Method of Structural Analysis	6-15
	6.3.4 Location of Vacuum Line	6-32
6.4	ENVIRONMENT CONDITIONING PENETRATION	6-33
	6.4.1 Design Concept and Rationale	6-33
	6.4.2 Design Procedure	6-34
6.5	ACCESS PENETRATIONS	6-37
	6.5.1 Requirements	6-37
	6.5.2 Safety Considerations	6-39
	6.5.3 Personnel Door	6-40
	6.5.4 Product Door	6-42
6.6	SHIELD LINERS	6-45
	6.6.1 Functional Requirements	6-45
	6.6.2 Design Considerations	6-45
	6.6.3 Recommended Configurations	6-46
6.7	ILLUSTRATIVE EXAMPLES	6-51
	6.7.1 Bending in Box Structure Cover Plate	6-51
	6.7.2 Buckling of Utility Box Side Mem- bers	6-52
	6.7.3 Shear in Shield Group 81-mm Split Collar at the Vacuum Line/Suppres- sive Shield Interface	6-56
	6.7.4 Stress in Group 3 Shield External Disposal Line Shield Caused by Munition Explosion	6-59

CONTENTS (continued)

<u>Chapter</u>		<u>Page</u>
	6.7.5 Stress in Group 3 Shield Disposal Line Shield Caused by an Airborne Dust Explosion	6-62
	6.7.6 Stress in Disposal Line Shield Caused by Dust Sediment Explosion	6-63
	6.7.7 Fragment Hazard From Detonation of Explosive Dust Sediment in Disposal Line	6-65
	6.7.8 Determine the Area of the Environmental Conditioning Exhaust Stack for the Milan 81-mm Suppressive Shield	6-68
	6.7.9 Determination of Exhaust Stack Height	6-68
	6.7.10 Stress in Environmental Conditioning Exhaust Stack	6-70
	6.7.11 Stress in the Shaft of the Rotary Product Door Caused by the Accidental Detonation of Munitions During Production	6-72
	6.8 LIST OF SYMBOLS	6-75
	6.9 REFERENCES	6-78
VII	ECONOMIC ANALYSIS	7- 1
	7.1 THE PROBLEM	7- 1
	7.2 CONSIDERATIONS	7- 1
	7.3 METHOD	7- 4
	7.4 EXAMPLE ECONOMIC ANALYSES	7- 5
	7.5 REFERENCES	7- 7
VIII	ASSURING STRUCTURAL QUALITY	8- 1
	8.1 INTRODUCTION	8- 1
	8.2 STEEL	8- 1
	8.2.1 Structural Steel	8- 1
	8.2.2 Reinforcing Steel	8- 2
	8.3 WELDING	8- 2
	8.3.1 General	8- 2
	8.3.2 Welding Processes	8- 3
	8.3.3 Welding Defects	8- 3

CONTENTS (continued)

<u>Chapter</u>		<u>Page</u>
	8.3.4 Weld Inspection Methods	8-10
	8.3.5 Weld Repairs	8-12
8.4	CONCRETE	8-13
	8.4.1 General	8-13
	8.4.2 Mixing	8-13
	8.4.3 Placing	8-14
	8.4.4 Curing	8-15
	8.4.5 Quality Control	8-16
8.5	FIBER REINFORCED CONCRETE	8-17
8.6	REFERENCES	8-19
 <u>Appendix</u>		
A	SAFETY APPROVED SUPPRESSIVE SHIELDS	A- 1
A.1	INTRODUCTION	A- 1
A.2	SHIELD GROUP 3	A-12
	A.2.1 Description	A-12
	A.2.2 Application	A-26
	A.2.3 Modification	A-27
A.3	SHIELD GROUP 4	A-28
	A.3.1 Description	A-28
	A.3.2 Application	A-44
	A.3.3 Modification	A-45
A.4	SHIELD GROUP 5	A-45
	A.4.1 Description	A-45
	A.4.2 Application	A-68
	A.4.3 Modification	A-70
A.5	SHIELD GROUP 6	A-70
	A.5.1 Description	A-70
	A.5.2 Application	A-84
	A.5.3 Modification	A-85
A.6	SHIELD GROUP 81-mm	A-86
	A.6.1 Description	A-86

CONTENTS (continued)

<u>Appendix</u>		<u>Page</u>
	A.6.2 Application	A-112
	A.6.3 Modification	A-117
	A.7 REFERENCES	A-119
B	RESPONSE CHARTS	B- 1
	B.1 INTRODUCTION	B- 1
	B.2 USE OF CHARTS	B- 2
	B.3 ILLUSTRATIVE EXAMPLES	B- 3
	B.3.1 Response of Group 3 Wall Beam Element to Airblast Loading	B- 3
C	METRIC CONVERSION FACTORS	C- 1

ILLUSTRATIONS

<u>Figure</u>		<u>Page</u>
1- 1	Early Model Suppressive Shield	1- 4
2- 1	General Configuration of Suppressive Shield Groups	2- 3
3- 1	Ideal Blast Wave	3- 3
3- 2	Hopkinson-Cranz Scaling of Airblast Parameters	3- 7
3- 3	Incident Airblast Parameters for Spherical TNT Free Air Burst	3- 9
3- 4	Shock Front Velocity as a Function of Peak Overpressure at Sea Level	3-11
3- 5	Schematic Representation of Shock Reflections from Interior Walls of a Suppressive Shield	3-13
3- 6	Reflected Airblast Parameters for Spherical TNT Free Air Burst	3-15
3- 7	Definition of Vent Area Ratios for Various Structural Configurations	3-19
3- 8	Internal Pressure Loading at Inner Surface of a Suppressive Shield	3-20
3- 9	Peak Quasi-Static Pressure	3-21
3-10	Scaled Blowdown Time Versus Scaled Maximum Pressure	3-23
3-11	Stages During the Transmission of a Shock Wave Through a Single Slit in a Plate	3-24
3-12	Calculated Pressures Outside Group 3 Cylindrical Blast Shield with 48-lb Charge	3-26
3-13	Possible Mechanisms for Steel Plate Damage	3-36
3-14	Possible Mechanisms for Concrete Panel Impact Damage	3-37
3-15	Prediction of Fragment Penetration of Steel Plate	3-38
3-16	Perforation Factor Versus Vent Area Ratio for Drilled Hole Patterns	3-42
3-17	Fragment Penetration of 5,000 psi Concrete	3-46
3-18	Limits of Concrete Spalling and Perforation	3-47
3-19	Residual Velocity of Primary Fragment After Perforation	3-49

ILLUSTRATIONS (continued)

<u>Figure</u>		<u>Page</u>
6- 5	Typical Vacuum Line Penetration	6-14
6- 6	Waste Disposal Vacuum Line Entry Into Suppressive Shield	6-16
6- 7	Joint Design for the Shielded Disposal Vacuum Line	6-17
6- 8	Typical Vacuum Line - Suppressive Shield Interface	6-19
6- 9	Maximum Response of Elasto-Plastic One-Degree Systems (Undamped) Due to Constant Force With Finite Rise Time	6-25
6-10	Estimate of Dust Sediment on Bottom of Inner Liner - Shielded Disposal Line Concept	6-27
6-11	Cross Section of Disposal Line with Explosive Dust Sediment	6-29
6-12	Typical Environmental Conditioning Penetration	6-35
6-13	Cubicle with Partial Roof	6-36
6-14	Design Chart for Vent Area Required to Limit Pressures at Any Range Outside a 4-Wall Cubicle	6-38
6-15	Sliding Personnel Door	6-41
6-16	Rotating Product Door	6-43
6-17	Typical Installation of Thin Metal Liners	6-47
6-18	Typical Installation of Thin Plastic Liners	6-49
6-19	Waste Disposal Line Entry Into Suppressive Shield	6-58
8- 1	Cracking of Weld	8- 4
8- 2	Porosity in Weld	8- 7
8- 3	Incomplete Fusion at Sidewall and Incomplete Joint Penetration at Root	8- 8
8- 4	Undercut Weld and Incomplete Penetration at Root	8- 9
A- 1	Group 3 Suppressive Shield	A-13
A- 2	Group 3 Shield Construction Details	A-15
A- 3	Door - Group 3 Shield	A-25
A- 4	Group 4 Suppressive Shield	A-29
A- 5	Group 4 Shield Construction Details	A-31
A- 6	Schematic of Group 4 Shield Frame	A-42

ILLUSTRATIONS (continued)

<u>Figure</u>		<u>Page</u>
A- 7	Group 5 Suppressive Shield	A- 46
A- 8	Center Framework Connection - Group 5 Shield	A- 47
A- 9	Edge Framework - Group 5 Shield	A- 48
A-10	Corner Anchor Plate - Group 5 Shield	A- 49
A-11	Group 5 Shield Construction Details	A- 51
A-12	Group 6A Suppressive Shield	A- 71
A-13	Group 6B Suppressive Shield	A- 72
A-14	Group 6A Shield Schematic	A- 73
A-15	Group 6A Shield Construction Details	A- 75
A-16	Group 6B Shield Schematic	A- 77
A-17	Group 6B Shield Construction Details	A- 79
A-18	Prototype 81-mm Suppressive Shield	A- 87
A-19	Prototype 81-mm Shield Construction Details	A- 89
A-20	Milan 81-mm Suppressive Shield Construction Details	A-101
A-21	Revised Structural Frame Corner Design	A-113
A-22	Milan 81-mm Suppressive Shield Foundation Attachment	A-114
A-23	Milan 81-mm Suppressive Shield Removable Column	A-115
B- 1	Response Chart for $C_1 = 0.60$ and $C_2 = 0.40$	B- 7
B- 2	Response Chart for $C_1 = 0.61$ and $C_2 = 0.39$	B- 8
B- 3	Response Chart for $C_1 = 0.62$ and $C_2 = 0.38$	B- 9
B- 4	Response Chart for $C_1 = 0.63$ and $C_2 = 0.37$	B- 10
B- 5	Response Chart for $C_1 = 0.64$ and $C_2 = 0.36$	B- 11
B- 6	Response Chart for $C_1 = 0.65$ and $C_2 = 0.35$	B- 12
B- 7	Response Chart for $C_1 = 0.66$ and $C_2 = 0.34$	B- 13
B- 8	Response Chart for $C_1 = 0.67$ and $C_2 = 0.33$	B- 14
B- 9	Response Chart for $C_1 = 0.68$ and $C_2 = 0.32$	B- 15
B-10	Response Chart for $C_1 = 0.69$ and $C_2 = 0.31$	B- 16
B-11	Response Chart for $C_1 = 0.70$ and $C_2 = 0.30$	B- 17
B-12	Response Chart for $C_1 = 0.71$ and $C_2 = 0.29$	B- 18
B-13	Response Chart for $C_1 = 0.72$ and $C_2 = 0.28$	B- 19

ILLUSTRATIONS (continued)

<u>Figure</u>		<u>Page</u>
B-14	Response Chart for $C_1 = 0.73$ and $C_2 = 0.27$	B-20
B-15	Response Chart for $C_1 = 0.74$ and $C_2 = 0.26$	B-21
B-16	Response Chart for $C_1 = 0.75$ and $C_2 = 0.25$	B-22
B-17	Response Chart for $C_1 = 0.76$ and $C_2 = 0.24$	B-23
B-18	Response Chart for $C_1 = 0.77$ and $C_2 = 0.23$	B-24
B-19	Response Chart for $C_1 = 0.78$ and $C_2 = 0.22$	B-25
B-20	Response Chart for $C_1 = 0.79$ and $C_2 = 0.21$	B-26
B-21	Response Chart for $C_1 = 0.80$ and $C_2 = 0.20$	B-27
B-22	Response Chart for $C_1 = 0.81$ and $C_2 = 0.19$	B-28
B-23	Response Chart for $C_1 = 0.82$ and $C_2 = 0.18$	B-29
B-24	Response Chart for $C_1 = 0.83$ and $C_2 = 0.17$	B-30
B-25	Response Chart for $C_1 = 0.84$ and $C_2 = 0.16$	B-31
B-26	Response Chart for $C_1 = 0.85$ and $C_2 = 0.15$	B-32
B-27	Response Chart for $C_1 = 0.86$ and $C_2 = 0.14$	B-33
B-28	Response Chart for $C_1 = 0.87$ and $C_2 = 0.13$	B-34
B-29	Response Chart for $C_1 = 0.88$ and $C_2 = 0.12$	B-35
B-30	Response Chart for $C_1 = 0.89$ and $C_2 = 0.11$	B-36
B-31	Response Chart for $C_1 = 0.90$ and $C_2 = 0.10$	B-37
B-32	Response Chart for $C_1 = 0.91$ and $C_2 = 0.09$	B-38
B-33	Response Chart for $C_1 = 0.92$ and $C_2 = 0.08$	B-39
B-34	Response Chart for $C_1 = 0.93$ and $C_2 = 0.07$	B-40
B-35	Response Chart for $C_1 = 0.94$ and $C_2 = 0.06$	B-41
B-36	Response Chart for $C_1 = 0.95$ and $C_2 = 0.05$	B-42
B-37	Response Chart for $C_1 = 0.96$ and $C_2 = 0.04$	B-43
B-38	Response Chart for $C_1 = 0.97$ and $C_2 = 0.03$	B-44
B-39	Response Chart for $C_1 = 0.98$ and $C_2 = 0.02$	B-45
B-40	Response Chart for $C_1 = 0.99$ and $C_2 = 0.01$	B-46
B-41	Response Chart for $C_1 = 1.00$ and $C_2 = 0.00$	B-47

TABLES

<u>Table</u>		<u>Page</u>
1- 1	Hazard Level	1- 7
2- 1	Summary of Suppressive Shield Groups	2- 2
2- 2	Charge Parameters for Safety Approved Shields	2- 5
3- 1	TNT Equivalence Factors for Chemical Explosives	3- 5
3- 2	Mott Scaling Constants for Mild Steel Casings and Various Explosives	3-31
3- 3	Gurney Energy Constants for Various Explosives	3-33
3- 4	Initial Primary Fragment Velocity for Various Cross-Sectional Shapes	3-34
3- 5	Empirical Constants for Predicting Compact Fragment Limit Velocity for Mild Steel Targets	3-40
3- 6	Empirical Constants for Predicting Compact Fragment Residual Velocity for Mild Steel Targets	3-40
4- 1	Dynamic Yield Stresses for Steel	4- 5
4- 2	Dynamic Increase Factors for Concrete	4- 8
4- 3	Recommended Ductility Ratios	4-15
5- 1	Maximum Thickness Ratios for Steel Members	5-10
5- 2	Transformation Factors for Beams and One-Way Slabs	5-33
5- 3	Transformation Factors for Beams and One-Way Slabs	5-34
5- 4	Transformation Factors for Two-Way Slabs Simple Supports, Uniform Load	5-36
5- 5	Transformation Factors for Two-Way Slabs: Fixed Supports - Uniform Load	5-37
5- 6	Transformation Factors for Two-Way Slabs: Short Edges Fixed - Long Edges Simply Supported	5-39
5- 7	Transformation Factors for Two-Way Slabs: Short Sides Simply Supported - Long Sides Fixed	5-41
5- 8	Transformation Factors for Circular Slabs	5-43
6- 1	Pressure and Pressure Increase Rates for Air- borne Dust Explosions	6- 24
6- 2	Summary of Proposed Liners for Suppressive Shields	6- 50

TABLES (continued)

<u>Table</u>		<u>Page</u>
7- 1	Representative Items to Consider in an Economic Analysis	7- 3
A- 1	Suppressive Shield Group 1	A- 2
A- 2	Suppressive Shield Group 2	A- 3
A- 3	Suppressive Shield Group 3	A- 4
A- 4	Suppressive Shield Group 4	A- 5
A- 5	Suppressive Shield Group 5	A- 6
A- 6a	Suppressive Shield Group 6A	A- 7
A- 6b	Suppressive Shield Group 6B	A- 8
A- 7	Suppressive Shield Group 7	A- 9
A- 8a	Prototype 81-mm Shield	A-10
A-8b	Milan 81-mm Suppressive Shield	A-11